

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	60	@ad<"20031014" and ("32" adj bit) near8 ((content adj length) or (message adj length) or (message adj size) or (content adj size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:52
L8	1	@ad<"20031014" and ("32" adj bit) near8 ((content adj length) or (message adj length) or (message adj size) or (content adj size)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:37
L9	0	@ad<"20031014" and ("32" adj bit) near8 ((content adj length) or (message adj length) or (message adj size) or (content adj size)) with (email or e-mail or "electronic mail")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:38
L10	55	@ad<"20031014" and ("32" adj bit) near8 ((content adj length) or (message adj length) or (message adj size) or (content adj size)) with (email or e-mail or "electronic mail" or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:38
L11	17	@ad<"20031014" and ("32" adj bit) near8 ((content adj length) or (message adj length) or (message adj size) or (content adj size)) with (email or e-mail or "electronic mail" or message) and (email or e-mail or "electronic mail" or SMTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:40
L12	0	@ad<"20031014" and ("32" adj bit) near8 ((content adj length) or (message adj length) or (message adj size) or (content adj size)) with (email or e-mail or "electronic mail" or message) same (email or e-mail or "electronic mail" or SMTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:39
L13	1	L11 and 128-bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:40
L14	157	@ad<"20031014" and ((token\$5 or pars\$5) near10 (domain adj name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:53

EAST Search History

L15	15	@ad<"20031014" and ((token\$5 or pars\$5) near10 (domain adj name)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:54
L16	0	@ad<"20031014" and ((128-bit near5 MD5 near2 hash) with (attach\$4 or attachment or MIME))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:58
L17	197	@ad<"20031014" and (hash near5 (attach\$4 or attachment or MIME))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 08:58
L18	13	@ad<"20031014" and (hash near5 (attach\$4 or attachment or MIME)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 09:04
L19	0	@ad<"20031014" and ("128" adj bit near4 hash near5 (attach\$4 or attachment or MIME))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 09:01
L20	0	@ad<"20031014" and ("128" near4 hash near5 (attach\$4 or attachment or MIME))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 09:01
L21	3	@ad<"20031014" and ("128" with "32" with "160" with bit with hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 09:05
L22	0	@ad<"20031014" and (append\$5 or concatenat\$4 or combin\$5) with (MD5 or ((attachment or MIME or attache\$5) near3 hash)) with (content near2 length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 09:09
L23	12	@ad<"20031014" and (MD5 or ((attachment or MIME or attache\$5) near3 hash)) with (content near2 length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 10:37

EAST Search History

L24	32	(US-20050091321-\$ or US-20040068542-\$ or US-20020087640-\$ or US-20040019643-\$ or US-20030009528-\$ or US-20040093384-\$ or US-20020138579-\$ or US-20060112165-\$ or US-20040073617-\$ or US-20040010543-\$ or US-20040111463-\$ or US-20040064537-\$ or US-20020156836-\$).did. or (US-6192360-\$ or US-6895427-\$ or US-7072944-\$ or US-7194513-\$ or US-7016937-\$ or US-6816885-\$ or US-6785710-\$ or US-6189026-\$ or US-7127491-\$ or US-7113977-\$ or US-7103599-\$ or US-6895426-\$ or US-6385644-\$ or US-6968571-\$ or US-7240199-\$ or US-7054905-\$ or US-6839412-\$ or US-6760752-\$ or US-6728378-\$).did.	US-PGPUB; USPAT	AND	ON	2007/10/19 10:12
L25	5	L24 and ("128" or "32") with bit with (MD5 or hash)	US-PGPUB; USPAT	AND	ON	2007/10/19 10:14
L26	1	L23 and ("128" or "32") with bit with (MD5 or hash)	US-PGPUB; USPAT	AND	ON	2007/10/19 10:15
L27	1	L23 and (("128" or "160") near5 bit)	US-PGPUB; USPAT	AND	ON	2007/10/19 10:15
L28	4	L24 and (("128" or "160") near5 bit)	US-PGPUB; USPAT	AND	ON	2007/10/19 10:15
L29	2	@ad<"20031014" and (((attachment or MIME or attache\$5) near3 hash) near10 (MD5 or "128"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 10:24
L30	4	L24 and ((UU adj encod\$5) or UUencod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 10:37
L31	55	@ad<"20031014" and ((UU adj encod\$5) or UUencod\$5) with (MIME or attach\$5) same (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 14:09
L32	12	@ad<"20031014" and ((UU adj encod\$5) or UUencod\$5) with (MIME or attach\$5) same (email or e-mail or (electronic adj mail)) same (identif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 10:45

EAST Search History

L33	2	@ad<"20031014" and ((UU adj encod\$5) or UUencod\$5) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 10:45
L34	45	@ad<"20031014" and ((email or e-mail or (electronic adj mail)) with (spam or junk or advertisement or virus)) and (((percent\$5 or probability or score) near5 (token or string or message)) with (spam or junk or advertisement or virus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:15
L35	19	@ad<"20030101" and ((email or e-mail or (electronic adj mail)) with (spam or junk or advertisement or virus)) and (((percent\$5 or probability or score) near5 (token or string or message)) with (spam or junk or advertisement or virus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:16
L36	1	@ad<"20030101" and ((email or e-mail or (electronic adj mail)) with (spam or junk or advertisement or virus)) and (((percent\$5 or probability or score) near5 (token or string)) with (spam or junk or advertisement or virus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:17
L37	1	@ad<"20030101" and ((email or e-mail or (electronic adj mail)) with (spam or junk or advertisement or virus)) and (((percent\$5 or probability or score) near5 (token\$4 or string)) with (spam or junk or advertisement or virus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:17
L38	5	@ad<"20030101" and ((email or e-mail or (electronic adj mail)) with (spam or junk or advertisement or virus)) and (((percent\$5 or probability or score) near5 (token\$4 or string or word)) with (spam or junk or advertisement or virus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 13:46
L39	668	@ad<"20031014" and ((token\$4 or word or string or message) with (greatest or highest or largest) near5 probability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:22
L40	151	@ad<"20031014" and ((select\$4 or choos\$5 or pick\$5) near5 (token\$4 or word or string or message) near5 (greatest or highest or largest) near5 probability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:26

EAST Search History

L41	5	@ad<"20031014" and ((select\$4 or choos\$5 or pick\$5) near5 (token\$4 or word or string or message) near5 (greatest or highest or largest) near5 probability) and bayesian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:26
L42	19	@ad<"20031014" and ((select\$4 or choos\$5 or pick\$5) near5 (token\$4 or word or string or message) near5 (greatest or highest or largest) near5 probability) and (bayesian or bayes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 11:26
L43	2	"6161130".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 14:06
L44	2	"6161130".pn. and (probabil\$8 or attach\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 14:07
L45	0	"6161130".pn. and (probabil\$8 with (token\$4 or string or word))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 14:07

EAST Search History

L46	39	(US-20050091321-\$ or US-20040068542-\$ or US-20020087640-\$ or US-20040019643-\$ or US-20030009528-\$ or US-20040093384-\$ or US-20020138579-\$ or US-20060112165-\$ or US-20040073617-\$ or US-20040010543-\$ or US-20040111463-\$ or US-20040064537-\$ or US-20020156836-\$ or US-20040068545-\$).did. or (US-6192360-\$ or US-6895427-\$ or US-7072944-\$ or US-7194513-\$ or US-7016937-\$ or US-6816885-\$ or US-6785710-\$ or US-6189026-\$ or US-7127491-\$ or US-7113977-\$ or US-7103599-\$ or US-6895426-\$ or US-6385644-\$ or US-6968571-\$ or US-7240199-\$ or US-7054905-\$ or US-6839412-\$ or US-6760752-\$ or US-6728378-\$ or US-5805298-\$ or US-6615242-\$ or US-7194681-\$ or US-6732157-\$ or US-6161130-\$). did. or (WO-200026795-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:20
L47	5	L46 and (probabil\$8 or likelihood or likely or percentage or confidence) near3 (spam or junk)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:22
L48	3	L46 and (probabil\$8 or likelihood or likely or percentage or confidence) near3 (spam or junk) with attach\$8	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:23
L49	2	L46 and ((probabil\$8 or likelihood or likely or percentage or confidence) near3 (spam or junk) with attach\$8) and (hash\$5 with attach\$8)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:24
L50	1	milliken.in. and ((probabil\$8 or likelihood or likely or percentage or confidence) near3 (spam or junk) with attach\$8) and (hash\$5 with attach\$8)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:24
L51	4	"10251403"	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:25
L52	1	L51 and ((probabil\$8 or likelihood or likely or percentage or confidence) near3 (spam or junk) with attach\$8) and (hash\$5 with attach\$8)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:49

EAST Search History

L53	1	L51 and (hash\$5 same attach\$5) and probabil\$5	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:25
L54	1	L51 and (hash\$5 same attach\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:25
L55	1	L51 and ((probabil\$8 or likelihood or likely or percentage or confidence) near3 (spam or junk) with attach\$8)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/10/19 14:49
L56	0	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (domain adj name)) and bellsouth.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 15:40
L57	0	((tokeniz\$4 or pars\$4) near5 (domain adj name)) and bellsouth.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 15:40
L58	11	((tokeniz\$4 or pars\$4) near5 (email or e-mail)) and bellsouth.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 15:41
S1	3	"6192360".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 14:49
S2	32	daniell.in. and malik.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 10:31
S3	2	daniell.in. and malik.in. and (token\$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 10:39
S4	2	S3 and (MD5 and probability and interesting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 11:10
S5	5122	(parse or filter) near4 (email or e-mail or text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 13:36

EAST Search History

S6	487	((parse or filter) near4 (email or e-mail or text)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 13:36
S7	108	((parse or filter) near4 (email or e-mail or text)).ab. and (parse or filter).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/21 13:36
S8	0	@ad<"20031014" and (SMTP near2 server) and (tokeniz\$4 or pars\$4 near4 (string or token))) near5 ((email or e-mail or message) near3 (text or body))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 14:58
S9	49	@ad<"20031014" and (SMTP near2 server) and ((tokeniz\$4 or pars\$4) near5 (text or body))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 14:59
S10	0	@ad<"20031014" and (SMTP near2 server) and ((tokeniz\$4 or pars\$4) near5 (text or body)) and Bayesian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 14:59
S11	16	@ad<"20031014" and (SMTP near2 server) and ((tokeniz\$4 or pars\$4) near5 (text or body)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:39
S12	3	@ad<"20031014" and (SMTP near2 server) and ((tokeniz\$4 or pars\$4) near5 (text or body)) and 709/206.ccls. and (token\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:40
S13	111	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (text or body)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:40
S14	64	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (text or body)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:45
S15	148	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (text or body or domain or address or attachment)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:44

EAST Search History

S16	64	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (text or body)) and 709/206.ccls. and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (text or body or domain or address or attachment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:45
S17	18	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (text or body)) and 709/206.ccls. and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (domain or address or attachment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:13
S18	3	S17 and "bellsouth".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:46
S21	0	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (text or body)) and 709/206.ccls. and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (domain or address)) and ((tokeniz\$4 or pars\$4) near5 (email or e-mail or "electronic mail" or message) near3 (attachment or attach\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 15:48
S22	15	(US-20050091321-\$ or US-20040093384-\$ or US-20040019643-\$ or US-20030009528-\$ or US-20020138579-\$).did. or (US-6192360-\$ or US-7194513-\$ or US-7127491-\$ or US-7113977-\$ or US-7103599-\$ or US-7016937-\$ or US-6895426-\$ or US-6816885-\$ or US-6785710-\$ or US-6189026-\$). did.	US-PGPUB; USPAT	AND	ON	2007/10/18 15:51
S23	4	S22 and (domain adj name) and (email adj address)	US-PGPUB; USPAT	AND	ON	2007/10/18 15:52
S24	1	S22 and ((token\$5 or pars\$5) near5 (domain adj name)) and ((token\$5 or pars\$5) near5 (email adj address))	US-PGPUB; USPAT	AND	ON	2007/10/18 15:52

EAST Search History

S25	282	@ad<"20031014" and ((tokeniz\$4 or pars\$4 or extract\$5) near5 (domain adj name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:13
S26	101	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (domain adj name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/19 15:34
S27	7	@ad<"20031014" and ((tokeniz\$4 or pars\$4) near5 (domain adj name)) and 709/206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:15
S28	3	@ad<"20031014" and (("32" adj bit) or "32 bit" or "32-bit") with ((email or electronic adj mail or e-mail) near5 length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:16
S29	14	@ad<"20031014" and ((email or electronic adj mail or e-mail) near5 length) and (("32" adj bit) or "32 bit" or "32-bit") with (length or size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:19
S30	3	@ad<"20031014" and ((email or electronic adj mail or e-mail) near5 length) same (("32" adj bit) or "32 bit" or "32-bit") with (length or size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:16
S31	50	@ad<"20031014" and SMTP adj header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:23
S32	0	@ad<"20031014" and (SMTP adj header with ((message or email or e-mail) near3 (length or size)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:21
S33	0	@ad<"20031014" and (SMTP adj server with ((message or email or e-mail) near3 (length or size)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:21
S34	29	@ad<"20031014" and (string near10 indicat\$5 near5 length near5 (message or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:31

EAST Search History

535	2	@ad<"20031014" and (string near10 indicat\$5 near5 length near5 (message or email or e-mail)) and SMTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:31
536	2	@ad<"20031014" and (string near10 indicat\$5 near5 length near5 (message or email or e-mail)) and SMTP and ("32" near2 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/18 17:31